

Corcraft PRODUCTS **OMEGA**

OMEGA/FIXED CRT TABLES
OMEGA i/ADJUSTABLE CRT TABLES

SERIES



FIXED/ADJUSTABLE CRT Tables



NYS
DEPARTMENT
OF
CORRECTIONAL
SERVICES

OMEGA FIXED CRT LINE

The OMEGA CRT line is designed to help make your work place more computer friendly.

With its 14 gauge tubular steel frame, 1 1/8" thick laminated work surface, and efficient wire management, it will be an attractive and functional addition to any work environment.

A durable epoxy powder finished frame offers an abrasion-resistant finish.

FEATURES

Height
26"

Laminates

1 1/8" thick laminated work surface available in oak, putty, and walnut with durable black bullnose edgbanding.

Frame

Constructed of 14 gauge tubular steel, black epoxy powder paint finish.

Standard Features

- Modesty panel
- Shelf
- Self-leveling glides
- Rectangular wire management grommet in top with a channel in the side panel to conceal cables
- Paper slot on 30 x 30 unit only

Corcraft
PRODUCTS



**Omega CRT Workstation
w/Right Module**
F25-3048E0R07

Optional Features

- Casters for use on 30 x 30, 36 x 30, and 48 x 30 units. Rear casters are lockable. Casters will add 2½" to worksurface height.†
- Right side mounted metal module available on 48 x 30 and 60 x 30 models featuring:
 - Spring-loaded posting shelf
 - Box drawer
 - File drawer designed for hanging files
 - Random key lock (two keys provided)



OMEGA CRT Table w/Paper Slot

F25-3030S0007WC – Shown with optional casters



OMEGA CRT Table

F25-3036E0007

Available Sizes

- 30W X 30D
- 30W X 30D with paper slot
- 36W X 30D
- 48W X 30D
- 60W X 30D

† To designate caster option add "WC" suffix to the desired product code. Example: F25-3030S0007WC

OMEGA CRT Table

30W x 30D x 26H

Walnut F25-3030E0005

Oak F25-3030E0006

Putty F25-3030E0007

OMEGA CRT Table w/Paper Slot

30W x 30D x 26H

Walnut F25-3030S0005

Oak F25-3030S0006

Putty F25-3030S0007

OMEGA CRT Table

36W x 30D x 26H

Walnut F25-3036E0005

Oak F25-3036E0006

Putty F25-3036E0007

OMEGA CRT Workstation

48W x 30D x 26H

Walnut F25-3048E0005

Oak F25-3048E0006

Putty F25-3048E0007

60W x 30D x 26H

Walnut F25-3060E0005

Oak F25-3060E0006

Putty F25-3060E0007

OMEGA CRT Workstation w/Right* Module

48W x 30D x 26H

Walnut F25-3048E0R05

Oak F25-3048E0R06

Putty F25-3048E0R07†

60W x 30D x 26H

Walnut F25-3060E0R05

Oak F25-3060E0R06

Putty F25-3060E0R07

* To order left module, replace "R" in code with "L"

† Shown on cover

OMEGA i ADJUSTABLE CRT LINE



F25-3236-B0006

In conjunction with other ergonomic furnishings, the

OMEGA i Adjustable CRT line is designed to allow each operator to select their most comfortable working position. Comfortable workers are less susceptible to stress and fatigue, thus enabling them to enhance their job performance.



The OMEGA i line will be an invaluable addition to your office productivity enhancement program.

F25-3060A0006

FEATURES

Height Adjustments

Each work surface has a right and left top crank position with height adjustments ranging from 25" through 41" to accommodate a variety of seated or standing work environments.

Laminates

1 1/8" thick laminated work surface available in oak, putty, and walnut with durable black bullnose edgebanding.

Frame

Constructed of 14 gauge tubular steel, black epoxy powder paint finish.

Standard Features

- Modesty panel
- Self-leveling glides to compensate for floor imperfections.
- Acme threads on height adjust mechanism for smooth operation and dependability.
- Crank can be stored in convenient modesty panel holder when not in use.
- Depth of units permits use of Corcraft Ultra-Frame® mobile pedestals. Contact your Corcraft sales representative for information.

* To order left module, replace "R" in code with "L"

① To order the lower frame add an "L" to the 4th position within the item code

† Shown on cover

‡ To designate caster option add "WC" suffix to the desired product code.

Example: F25L-3030A0005WC

Adjustable Single Work Surfaces

- 30W x 30D
- 48W x 30D
- 36W x 30D
- 60W x 30D

OMEGA i Adjustable CRT Table Single Surface

30W x 30D

Walnut F25^①-3030A0005

Oak F25^①-3030A0006

Putty F25^①-3030A0007

36W x 30D

Walnut F25^①-3036A0005

Oak F25^①-3036A0006

Putty F25^①-3036A0007

48W x 30D

Walnut F25^①-3048A0005

Oak F25^①-3048A0006

Putty F25^①-3048A0007

60W x 30D

Walnut F25^①-3060A0005

Oak F25^①-3060A0006†

Putty F25^①-3060A0007

OMEGA i Adjustable CRT Table Single Surface w/Right* Module

60W x 30D

Walnut F25^①-3060A0R05

Oak F25^①-3060A0R06

Putty F25^①-3060A0R07

Adjustable Bi-Level Work Surface

■ 36W x 32D

Size of each bi-level work surface is 36W x 19D (rear) and 36W x 13D (front). The front surface has a slideable travel of 6 3/4" for improved user comfort.

OMEGA i Adjustable CRT Table Bi-Level Surface

36W x 32D

Walnut F25^①-3236B0005

Oak F25^①-3236B0006†

Putty F25^①-3236B0007

Corcraft is your NYS preferred source vendor — place your order today!

All Corcraft customers can get assistance from a Corcraft Sales Representative. They provide detailed information on the more than 300 Corcraft products and can help in selecting the best solution and in placing orders. If you have not been contacted by Corcraft, please call our Sales Unit list to the right. To place an order directly to our headquarters, FAX or mail your purchase order using the contact information at the right. **If you FAX your purchase order, please do not mail a duplicate.**



NYS DEPARTMENT OF CORRECTIONAL SERVICES
DIVISION OF INDUSTRIES

550 Broadway
Albany, New York 12204-2802

Order Services Mail to above address
Order Services FAX 800-898-5895 (In NYS) or 518-436-6007
Sales Unit Voice 800-436-6321 ext. 2640 (In NYS) or 518-436-6321 ext. 2640
Web <http://www.corcraft.org/>

Corcraft accepts the American Express® Corporate Purchasing Card.

